

Tel – 021 593 8077

Fax – 021 593 8078

info@ceasarengineering.co.za

www.ceasarengineering.co.za

Contents:

| <u>Page:</u> | <u>Product:</u> |
|--------------|---|
| 1 | Stainless Steel Tables |
| 2 | Inlet / Outlet Tables |
| 3 | Shelving |
| 4 | Sausage Tables Dirties |
| 5 | Sinks |
| 6 | Bain Marie |
| 7 | Lowerators |
| 8 | Food passes Hot closets |
| 9 | Gas grills |
| 10 | Griddles Fat fryers |
| 11 | Mixing troughs Trolleys Pot racks |

STAINLESS STEEL TABLES

High Quality Stainless Steel Tables

- ✓ 0.9 or 1.2mm 430 grade stainless steel tops.
- ✓ Stainless steel legs – grade 304, 45mm diameter round tubes and adjustable feet or rubber caps.
- ✓ Legs are removable
- ✓ Optional - stainless steel or galvanised steel shelving
- ✓ Optional - stainless steel or galvanised steel backing.
- ✓ Plain top or with splash backs.
- ✓ No visible welding on tops for superior finish.
- ✓ All shelves longer than 1500mm are strengthened.
- ✓ Customise any setup requirements.



| Model | Description | Dimensions |
|-------------|---|---------------------|
| S-ST 600 | 430.Grade stainless steel with 0.9 Tops | 600 x 650 x 915(h) |
| S-ST 850 | 430.Grade stainless steel with 0.9 Tops | 840 x 650 x 915(h) |
| S-ST 1050 | 430.Grade stainless steel with 0.9 Tops | 1050 x 650 x 915(h) |
| S-ST 1150 | 430.Grade stainless steel with 0.9 Tops | 1200 x 650 x 915(h) |
| S-ST 1650 | 430.Grade stainless steel with 0.9 Tops | 1650 x 650 x 915(h) |
| S-ST 1850 | 430.Grade stainless steel with 0.9 Tops | 1800 x 650 x 915(h) |
| S-ST 2250 | 430.Grade stainless steel with 0.9 Tops | 2250 x 650 x 915(h) |
| Model | Description | Dimensions |
| S-ST 600.1 | 430.Grade stainless steel with 1.2 Tops | 600 x 650 x 915(h) |
| S-ST 850.2 | 430.Grade stainless steel with 1.2 Tops | 840 x 650 x 915(h) |
| S-ST 1050.3 | 430.Grade stainless steel with 1.2 Tops | 1050 x 650 x 915(h) |
| S-ST 1150.4 | 430.Grade stainless steel with 1.2 Tops | 1200 x 650 x 915(h) |
| S-ST 1650.5 | 430.Grade stainless steel with 1.2 Tops | 1650 x 650 x 915(h) |
| S-ST 1850.6 | 430.Grade stainless steel with 1.2 Tops | 1800 x 650 x 915(h) |
| S-ST 2250.7 | 430.Grade stainless steel with 1.2 Tops | 2250 x 650 x 915(h) |

STAINLESS STEEL TABLES WITH 150mm SPLASH BACK

| Model | Description | Dimensions |
|--|--|-------------------|
| S-ST S/B.850 | 430.Grade stainless steel with 0.9 or 1.2 Tops | 850 x650 x915(h) |
| S-ST S/B.1050 | 430.Grade stainless steel with 0.9 or 1.2 Tops | 1050 x650 x915(h) |
| S-ST S/B.1650 | 430.Grade stainless steel with 0.9 or 1.2 Tops | 1650 x650 x915(h) |
| S-ST S/B.1850 | 430.Grade stainless steel with 0.9 or 1.2 Tops | 1850 x650 x915(h) |
| S-ST S/B.2250 | 430.Grade stainless steel with 0.9 or 1.2 Tops | 1850 x650 x915(h) |
| Standard Splash back height 150mm, can be customised | | |

EXTRAS ON TABLES

| Description |
|---|
| Wheels attached if mobile unit is required |
| Galvanised slatted shelf –per meter |
| S-ST slatted shelf 304 –per meter |
| S-ST splash back to end of table |
| Prep bowl/s fitted to table |
| Scrape hole in table |
| + Removable Leg Brackets 4 per table |
| Extra: 2 x Pins Welded to Table for Cutting Board |

INLET TABLES:



| Model | Description | Dimensions |
|---------|---|------------|
| I/T 1.1 | 304 grade Stainless Steel with 1 or 2 pair Stainless Steel legs | 1100 x 600 |
| I/T 1.6 | 304 grade Stainless Steel with 1 or 2 pair Stainless Steel legs | 1600 x 600 |

| Extra |
|------------------------|
| Additional bowls added |
| Extra set of legs |
| Basket shelf |

OUTLET TABLES:



| Model | Description | Dimensions |
|---------|---|------------|
| O/T 1.1 | 304 grade Stainless Steel with 1 or 2 pair Stainless Steel legs | 1100 x 600 |
| O/T 1.6 | 304 grade Stainless Steel with 1 or 2 pair Stainless Steel legs | 1600 x 600 |
| O/T 2.1 | 304 grade Stainless Steel with 1 or 2 pair Stainless Steel legs | 2100 x 600 |

UNDER TABLE / COUNTER SHELVING

| Galvanised Shelf 1.2mm | Stainless Steel Shelves 430 grade |
|-----------------------------------|-----------------------------------|
| Galvanised shelf for table 600mm | Stainless steel for tables 600mm |
| Galvanised shelf for table 850mm | Stainless steel for tables 850mm |
| Galvanised shelf for table 1050mm | Stainless steel for tables 1050mm |
| Galvanised shelf for table 1150mm | Stainless steel for tables 1150mm |
| Galvanised shelf for table 1650mm | Stainless steel for tables 1650mm |
| Galvanised shelf for table 1850mm | Stainless steel for tables 1850mm |
| Galvanised shelf for table 2250mm | Stainless steel for tables 2250mm |

COLD ROOM SHELVING:
(MODULAR OR STANDARD)



| Model | Description | Dimensions |
|----------------------|-------------|------------|
| CRS - G 900X380 | | |
| CRS - G 1130X380 | | |
| CRS - G 900X500 | | |
| CRS - G 1130X500 | | |
| CRS - SS 900X380 | | |
| CRS - SS 1130X380 | | |
| CRS - SS 900X500 | | |
| CRS - SS 1130X500 | | |

WALL MOUNTED SHELVES:

| Model | Description | Dimensions |
|------------|--|-----------------|
| WMS 1 S-ST | Individual (single tier) Stainless Steel | 900 x 380 wide |
| WMS 1 GALV | Individual (single tier) Galvanised | 900 x 380 wide |
| WMS 2 S-ST | Individual (single tier) Stainless Steel | 1150 x 380 wide |
| WMS 2 GALV | Individual (single tier) Galvanised | 1140 x 380 wide |
| WMS 3 S-ST | Individual (single tier) Stainless Steel | 900 x 500 wide |
| WMS 3 GALV | Individual (single tier) Galvanised | 900 x 500 wide |
| WMS 4 S-ST | Individual (single tier) Stainless Steel | 1140 x 500 wide |
| WMS 4 GALV | Individual (single tier) Galvanised | 1150 x 500 wide |



| Extra |
|---|
| Additional tiers can be added |
| Larger shelves will be reinforced |
| Choose between Stainless Steel or Galvanising |

- We will customise any shelving requirements

SAUSAGE TABLES:



| Model | Description | Dimensions |
|---------|-------------------------------------|----------------|
| ST 1050 | 1.2mm 304 grade S-ST Top, S-ST LEGS | 1050x750x 915H |
| ST 1050 | 1.2mm 304 grade S-ST Top, S-ST LEGS | 1650x750x 915H |

| Extra |
|--|
| Drain holes added |
| Shelves: Stainless Steel or Galvanised |
| Castors for mobile units |

DIRTIES TABLES:

Dirtyes Tables

- ✓ Welding legs from diameter 45mm grade 304 round tubing
- ✓ Top has a 50mm wide *255mm high boxed edge to guide standard dish washing basket
- ✓ Flow to adjoining equipment as per customer specification
- ✓ Optional double dirties with second tier 600mm above table top



| Model | Description | Dimensions |
|-----------------------|---|------------|
| S-DT 1120 | Single dirties, 1.2mm 430 grade Stainless Steel | 1120 x 600 |
| S-DT 1650 | Single dirties, 1.2mm 430 grade Stainless Steel | 1650 x 600 |
| S-DT 2100 | Single dirties, 1.2mm 430 grade Stainless Steel | 2100 x 600 |
| Double dirties | | |
| D-DT 1120 | Double dirties, 1.2mm 430 grade Stainless Steel | 1120 x 600 |
| D-DT 1500 | Double dirties, 1.2mm 430 grade Stainless Steel | 1500 x 600 |
| D-DT 1650 | Double dirties, 1.2mm 430 grade Stainless Steel | 1650 x 600 |
| D-DT 1780 | Double dirties, 1.2mm 430 grade Stainless Steel | 1780 x 600 |
| D-DT 2250 | Double dirties, 1.2mm 430 grade Stainless Steel | 2250 x 600 |

SINKS:

High Quality Stainless Steel Sinks

- ✓ 1.2mm, 304 grade Stainless Steel bowls
- ✓ 1.2mm, 430 grade Stainless Steel tops
- ✓ 304 grade tops available on request
- ✓ Stainless Steel legs
- ✓ Optional side splash backs
- ✓ Optional Stainless Steel or Galvanised shelving
- ✓ Optional Stainless Steel or Galvanised backing



PREPERATION / POT SINKS:

SINGLE BOWL-



| Model | Description | Dimensions |
|------------|-------------------------------------|------------------|
| PS1 - 950 | 1.2mm 304 grade bowl, 430 grade top | 910 x 650 x 915 |
| PS1 - 1650 | 1.2mm 304 grade bowl, 430 grade top | 1650 x 650 x 915 |
| PS1 - 2250 | 1.2mm 304 grade bowl, 430 grade top | 2250 x 650 x 915 |

DOUBLE BOWL-



| Model | Description | Dimensions |
|-----------|-------------------------------------|------------------|
| PS-D 1650 | 1.2mm 304 grade bowl, 430 grade top | 1650 x 650 x 915 |
| PS-D 1800 | 1.2mm 304 grade bowl, 430 grade top | 1800 x 650 x 915 |
| PS-D 2250 | 1.2mm 304 grade bowl, 430 grade top | 2250 x 650 x 915 |

BAIN MARIE:

High Quality Stainless Steel Sinks

- ✓ 1.2mm, 304 grade Stainless Steel tanks
- ✓ 1.2mm, 430 grade Stainless Steel base
- ✓ Stainless Steel legs
- ✓ Thermostat control for tank 0 degrees C – 100 degrees C
- ✓ Heated with submerged chrome plated element
- ✓ Castors for mobile units

TABLE MODLE-



| Model | Description | Dimensions |
|-------|------------------|------------------|
| BMT1 | 1Division 1Phase | 410 x 650 x 300 |
| BMT2 | 2Division 1Phase | 805 x 650 x 300 |
| BMT3 | 3Division 1Phase | 1050 x 650 x 300 |
| BMT4 | 5Division 2Phase | 1725 x 650 x 300 |
| BMT5 | 7Division 2Phase | 2385 x 650 x 300 |

WITH HOT CLOSET-

| Model | Description | Dimensions |
|------------|-----------------------|------------------|
| BM-HC 800 | 2 Division 1 Phase | 800 x 650 x 915 |
| BM-HC 1145 | 3 Division 2 Phase | 1145 x 650 x 915 |
| BM-HC 1474 | 4 Division 2 Phase | 1474 x 650 x 915 |
| BM-HC 1775 | 5 Division 3 Phase | 1775 x 650 x 915 |
| BM-HC 2110 | 6 Division 3 Phase | 2110 x 650 x 915 |
| BM-HC 2440 | 7 Division 3 Phase | 2440 x 650 x 915 |



LOWERATORS:

High Quality Stainless Steel Lowerators


- ✓ Heated or not
- ✓ Drop in units made up
- ✓ Any size or shape plates
- ✓ Heavy duty double skinned insulated construction, 430 grade Stainless Steel
- ✓ Units are spring loaded for dispensing of plates, bowls, trays etc
- ✓ 4 guide rails ensure crockery is not damaged
- ✓ Heated by 2 x 750w elements (if a heated lowerator is required)
- ✓ Castors for mobile units
- ✓ Lids available – any size
- ✓ Optional – brass flange

HEATED OR UNHEATED, MOBILE OR DROP IN PLATE DISPENSERS



| Model | Description - mobile |
|-------------|---|
| 1LOW-P | Single Tube Mobile Unheated Plate Dispenser |
| 1LOW-P/hot | Single Tube Mobile Heated Plate Dispenser |
| 2LOW-P | Double Tube Mobile Unheated Plate Dispenser |
| 2LOW-P/hot | Double Tube Mobile Heated Plate Dispenser |
| 3LOW-P | Three Tube Mobile Unheated Plate Dispenser |
| 3LOW-P/hot | Three Tube Mobile Heated Plate Dispenser |
| 4LOW-P | Four Tube Mobile Unheated Plate Dispenser |
| 4LOW-P/hot | Four Tube Mobile Heated Plate Dispenser |
| 1LOW-T | Mobile Unheated Open Tray Dispenser |
| LOW-OB | Mobile Unheated Open Basket Dispenser |
| LOW-OB C/S | Mobile Unheated Closed Basket Dispenser, cup / soup bowl |
| LOW-C/S1 | Mobile Cup and Saucer Dispenser |
| Model | Description – drop in |
| LOW/DROP-P | Drop in Heated Plate Dispenser (diameter - 230mm – 320mm) |
| LOW/DROP-PR | Drop in Heated Plate Dispenser - Rectangular |

FOOD PASSES:



| MODEL | Description |
|-------|------------------------------------|
| 1CP | Single cold pass |
| 2CP | Double cold pass per meter |
| 3CP | Triple cold pass per meter |
| MODEL | Description |
| 1HP | Single hot passes per meter 2 tier |
| 1HP | Double hot passes per meter 3 tier |

HOT CLOSETS:

| Model | Description | Dimensions |
|----------|---|------------------|
| H-C1145 | 430 grade Stainless Steel (0 – 150 degrees C) | 1145 x 650 x 915 |
| H-C 1775 | 430 grade Stainless Steel (0 – 150 degrees C) | 1775 x 650 x 915 |




COOKING RANGE:

GAS GRILLS:

High Quality Stainless Steel Gas Grills

- ✓ Easy removable cast iron grids
- ✓ Individually controlled burners
- ✓ Outer construction made from 430 grade Stainless Steel
- ✓ Stainless Steel drip tray
- ✓ Suitable for operation on LP or natural gas
- ✓ Customise any requirements
- ✓ Castors available for mobile units

TABLE MODLE – GAS GRILL



| Model | Description | Dimensions |
|----------|-------------|-------------------|
| BUR - T3 | 3 burner | 400 x 605 x 200 h |
| BUR - T4 | 4 burner | 570 x 605 x 200 h |
| BUR - T5 | 5 burner | 705 x 605 x 200 h |
| BUR - T6 | 6 burner | 860 x 605 x 200 h |

STANDARD GAS GRILL

| Model | Description | Dimensions |
|-------------|-------------|-------------------|
| BUR - STD6 | 6 burner | 860 x 605 x 915h |
| BUR - STD8 | 8 burner | 1100 x 720 x 915h |
| BUR – STD10 | 10 burner | 1300 x 720 x 915h |
| BUR – STD12 | 12 burner | 1600 x 720 x 915h |



GRIDDLES:

High Quality Stainless Steel Griddles

- ✓ 16mm Mild Steel cooking tops
- ✓ Table models freestanding, with or without castors
- ✓ Hinged top for ignition access
- ✓ Suitable for Electric, LP or natural gas operation
- ✓ Optional – undershelf

FREESTANDING – GAS GRIDDLE



| Model | Description | Dimensions |
|---------|-------------|-------------------|
| GR - 3 | 3 burner | 600 x 600 x 915 h |
| GR - 4 | 4 burner | 700 x 600 x 915 h |
| GR - 5 | 5 burner | 705 x 600 x 915 h |
| GR - 6 | 6 burner | 860 x 600 x 915 h |
| GR - 8 | 8 burner | 1100 x 600 x 915h |
| GR - 10 | 10 burner | 1300 x 600 x 915h |
| Model | Description | Dimensions |
| GR – T3 | 3 burner | 600 x 600 x 200 h |
| GR – T4 | 4 burner | 700 x 600 x 200 h |

FAT FRYERS:

High Quality Stainless Steel Fat Fryers

- ✓ Temperature control is 50 – 190 degrees C
- ✓ Protected by a 210 degree C manual reset limit thermostat
- ✓ Castors fitted for mobile units
- ✓ Oil bin sizes: 5 L – 20 L



MIXING TROUGHS:



| Model | Description | Dimensions |
|--------|--|-------------------|
| MT 150 | 150L, 304 grade 1.6mm Stainless steel | 1080 x 650 x 800h |
| MT 200 | 200ltr, 304 grade 1.6mm Stainless steel | 1400 x 650 x 800h |

TROLLEYS:



| Model | Description |
|--------|---|
| L - T | 304 grade Stainless Steel lifting trolley |
| MP - T | 304 grade Stainless steel meat press 345 mm |
| MRAIL | Stainless steel meat rail (per meter) |
| MBRAC | Stainless steel meat brackets - single |
| MBRAC | Stainless steel meat brackets - double |

POT RACKS:



| Model | Description |
|------------|--|
| PR - WM | Stainless Steel, Wall Mounted |
| PR - FG | Free standing - galvanised runners (1200 x 550 x 1450) |
| F.Stan.2 | Free standing - all Stainless Steel (1200 x 550 x 1450) |
| D-R/S/ST- | Dunnage Racks Stainless Steel & galvanised tubes (900 x600x300) |
| C-Stream | Combi Steamer Stand (3 Types) |
| C-Stream Z | Combi Steamer Stand ZANUZZIE 2/1 |